# OBRIEN

Sample transport systems present tremendous opportunities for improved analyzer accuracy. Chemical and petrochemical industries around the world have clearly identified that yield, scrap and compliance improvements can be directly attributed to the effectiveness of the sample transport system. Analyzers will function only as well as the transport system yet this same system is often the most overlooked and misunderstood component.

O'Brien is dedicated to all aspects of providing customers consistent sample streams. Maintaining sample dew points can present a myriad of process control challenges. O'Brien offers a wide variety of engineered solutions and products to ensure consistent sample delivery to the analytical device. O'Brien's heat transfer expertise with TRACEPAK and STACKPAK tubing bundle, TrueTube performance enhanced sample transport tubing and VIPAK heated analyzer cabinets have made O'Brien the company of choice for the analytical industry.

From design to installation services, from expertise in heat tracing to tubing materials, O'Brien provides complete sample stream consistency.










- **VIPAK®** heated sample conditioning cabinets.
- **► STACKPAK™ CEM sample** and probe support bundles.
- design, procurement, installation and warranty.





Sample Cabinets

VIPAK thermoformed or metal

sample cabinets are available

insulated and uninsulated.

# **Enclosure Heaters**

Consistent temperatures. Up to 600 Watts.

# **Installation Grips**

End of line and mid line installation grips for bundles up to 3  $\frac{1}{2}$  (80mm) diameter.

# TrueTube® )

TrueTube is available i long continuous lengths of electropolished (TrueTube EP and electropolished tubin with a deactivated fused silica lining (TrueTube EPS). TrueTube will improve response times when measuring sulfur, moisture, corrosives, and tailgas in the low ppm/ppb range.

# Heat Shrink Entry Seals

Heat shrink entry seals provide a weatherproof entry where TRACEPAK or STACKPAK bundles enter an enclosure.



# TRACEPAK®

ransport systems for process and gas analyzers. Single or multiple process tubes of 316SS, Monel, True Tube, Hastelloy, fused silica lined SS, heavy wall Teflon, and nylon are some of the

Sample Point

vaporizing regulators.

Provides a weatherproof and

insulated enclosure for sample

take off, piping components, and

**Enclosures** 

Sample Point

Heaters

Hazardous area

neaters for sample

point enclosures.



rueTube is available in long ntinuous lengths of electropolished rueTube EP) and electropolished ubing with a deactivated fused silica ning (TrueTube EPS). Non-permeable rueTube is used for measuring NOx, SOx, corrosives, ammonia

# TrueTube® |

TrueTube EP and TrueTube EPS improve dry-down, adsorptior nd corrosion resistance TrueTube is available in convenient sticks and

## **Enclosure Heaters**

Approved for use in hazardous and general purpose/safe areas. O'Brien nas a wide range of electric and steam heaters for temperature maintenance.





1

STACKPAK™ I

and Probe

Support Bundle

Heated and unheated lines fo

dilution and extractive stack

temperatures of gas samples

such as SOx, CO2, NOx and Hg.

gas applications. STACKPAK


will maintain uniform













O'Brien supplies analyzer sample bundles

for permanent or portable systems.

Process tubes of 316SS, Monel\*,

TrueTube®, Hastelloy®, fused silica

are a few of the common choices.

lined SS, heavy wall Teflon\*, and nylon

Electric, steam, or recirculated fluid

heater systems provide guaranteed

temperatures in general purpose or

Factory installed thermocouples and RTD

temperature sensors are often supplied as

are factory finished end connections.

Monel' is a registered trademark of Special Metals Corporation' Hastelloy' is a registered trademark of Haynes International Teflon' is a registered trademark of E.I. DuPont de Nemours

hazardous areas.

O'Brien thermoformed or stainless steel VIPAK enclosures are ideal for probe, sample take off and sample conditioning cabinets. With integral insulation, explosion proof heaters, heat shrink entry boots, as well as panel and rail mounting systems, Vipak enclosures complete your sample conditioning

Explosion proof heaters provide consistent temperature maintenance for any application. Choose NEC, CSA, ATEX approvals. Steam systems are also avail-

O'Brien starts with select ASTM grade tubing and enhances its physical characteristics to improve dry-down, adsorption and corrosion resistance. We do this by controlling surface roughness, cleanliness, surface chemistry and reactive contaminants.

TrueTube is available in orbital weld fittings, straight sticks, and long continuous lengths of electropolished (TrueTube EP) and electropolished tubing with a deactivated fused silica lining

## O'BrienSERVICES<sup>SM</sup>

O'BrienSERVICES provides a variety of specialty design, manufacturing, installation and warranty services. O'Brien, an ISO 9001manufacturer, realizes that turnkey services are a critical component to the process and emissions analyzer markets.

The O'BrienSERVICES team coordinates internal and external resources to ensure a cost effective and reliable sample transport system.

- **Design review**
- Heat transfer / dew point calculations
- Best practices training
- ▶ Insulated and heated cabinet assembly and installation
- Transport system installation, commission, audit and site support



# **ISO 9001**

Certified to current ISO 9001 standards.

O'Brien's adherence to internationally recognized quality systems is your strongest assurance of our commitment to quality.

# **Customer Service**

O'Brien's reputation as a customer oriented problem solver has been long recognized.

Our customer-oriented approach offers:

- responsive, knowledgeable personnel
- unparalleled delivery service
- dependable, tested results of all product lines
- on-line order status and shipment tracking.

BELGIUM • BRAZIL • CHINA • RUSSIA • SINGAPORE • SOUTH KOREA • USA www.obcorp.com

Specifications subject to change without notice

©2021, by AMETEK, Inc. All rights reserved • OB-BRC-STS-21R1









